Notice of Allowability	Application No.	Applicant(s)		
	09/480,584	HETTINGER, STEPHEN EDWARD		
	Examiner	Art Unit		
	Tamai I.E. Karl	2834		
The MAILING DATE of this communication apperation apperation all claims being allowable, PROSECUTION ON THE MERITS IS therewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in this app or other appropriate communication GHTS. This application is subject to	olication. If not include will be mailed in due	ed course. THIS	
1. X This communication is responsive to 11/1/06.				
2. X The allowed claim(s) is/are <u>1-6,8-14 and 16-18</u> .				
 Acknowledgment is made of a claim for foreign priority una)	been received. been received in Application No		tion from the	
* Certified copies not received:				
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.				
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.				
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached				
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date				
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).				
 DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 				
		·		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of References Cited (PTO-892)			•	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	Paper No./Mail Dat	lail Date		
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	7. ⊠ Examiner's Amendr	7. X Examiner's Amendment/Comment		
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner's Stateme9. ⊠ Other <u>drawings 4/2</u>:		owance	

Art Unit: 2834

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Claim 16, line 2, replace "Claim 15" with --Claim 11--.

REASONS FOR ALLOWACE

2. The following is an examiner's statement of reasons for allowance: the prior art does not teach a condenser fan motor with a housing and an output shaft, having a dust shield attached to the shaft, where the dust shield has a hub with an opening extension extending from a shroud that forms an enclosure which encloses an area of said housing and said shaft, the hub including a plurality of spring members extending from the opening extension with at least one of said spring member members outwardly displaced around the output shaft.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/480,584

Art Unit: 2834

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Karl I.E. Tamai whose telephone number is (571) 272 - 2036.

The examiner can be normally contacted on Monday through Friday from 8:00 am to 4:00 pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Darren Schuberg, can be reached at (571) 272 - 2044. The facsimile number for the Group is (571) 273 - 8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

Karl I Tamai PRIMARY PATENT EXAMINER November 14, 2006

> KARL TAMAI PRIMARY EXAMINER